References :

Akhtar, R., Joyti, M.K.N. Sawhney and Rajener Singh (2007). Studied on population dynamics of cladocerans and copepods in sarkoot pond, Dist. Doda, Jammu and Kashmir. J.aqua.Biol. 22(2): 15-15.

Aroha, K.N., Eze, C.L., Abam T.K.S., Gobo, A.E., and UbongI.U. (2007). Physicochemical properties of pit-water from ishiagu lead/ zink (Pb/Zn) mine as an index for alkaline classification of the mine drainage.J.Appl. Sci. Environ. Manage.11 (4):19-24.

Bobdey A. D. and Sonawane, A. P. (2011): Study of water quality of gandhisagar lake, Nagpur (MS), India, J. Sci. Inf. (3):111-116.

Chisti, Y. (2004). Environmental impact of toxic pollutants, biotechnology advances, 6: 431-432.

Costanza, R., d'Arge, R., Groot, Rde. Farber, S., Grasso, M., Hannon, B., Limburg, K., Naeem, S., O'Neill, R. V., Paruelo, J., Raskin, R. G., Sutton, P. and Vandenbelt, M. (1997). The value of the world's ecosystem services and natural capital. Naure, 387: 253-260.

Dehadri, P.V. (1990). Pollution and Aquaculture. Env. Poll. And Res. Of Land and water, 1-14.y metal mercuric chloride on the enzyme alkaline phosphates from *Labeo rohita*. J.Aqua. Biol. 22(2):142-144.

Desai, B. L.; sodekapwar, S. and Parikh, P.(2011). Histoarchitectural alterations on ovary and testis of *Orriochromis mossambicus (*Peter, 1852). Exposed to dimithoate, 4(2), 250-254.

Dhamaji, S. K. and Yatish Jain (1994): Variations in physic-chemical characteristics of lentic water bodies, Jabalpur (MP), Env. and Poll.,1(3and 4):125-128.

Gangwar, R.K., Khare, P., Singh, J. and Singh, A.B.(2012).Assessment of physic.-chemical properties of water river Ramganga at Bareilly,U.P. 4(9):4231-4234.

Gupta, S. and Shukla, D.N. (2006).Physico-chemical analysis of sewage water and its effect on seed germination and seedling growth of *Sesamum indicum.* J.Nat.Res.Development.1:15-19.

Gupta, S.K. and Deshpande, R.D. (2004). Water for India in 2050:First order assessment of available options. Curr.Sci. 86:1216-1224.

Jain, A.K., (2009). River Pollution. APH Publishing, New Delhi.1: 330.

Jayalakshmi, V., Lakshmi, N. and Singara Charya, M.A. (2011).Assessment of physic-chemical parameters of water and waste waters in and around Vijayawada. International Journal Of Research In Pharmaceutical And Biomedical Sciences. 2(3):1041-1046.

Johnson, L. L.; carilar, E., Collier, T. K.; McCain, B.B. and Varanashi, U. (1988). Contaminant effect on ovarian development in english sole, *Parophrys veruler* from Puget sound. Can. J. Fish. Aquat. Sci., 45, 2133-2146.

Kamble, V. S. and Mane B. U. (2012) Histopathological alterations due to sublethal treatment of organophosphorus pesticide (Quinolphos 25% EC) in female gonads of freshwater lamellibranch mollusks, *L. corrianus*, J. S. I. (4):114-117

Kamble, V.S. and Rao, K. R. (2011).Pesticide induced alteration in biochemical composition in fresh water bivalve mollusc *L. corrianus.* J. Bionano frontier (6):216-218.

Kodarkar, M. S.,(1992).Methodology or water analysis.Physico-chemical, Biological and Microbiological Indian association of aquatic Biologist hydererabad,2: 50.

Kumar, (2007) Study of some aspects of ecology of certain fish ponds of Muzzaffarnagar with relation to seasonal variations in physic-chemical characteristics of water and benthic community. Indian J. Env. and Ecol. (94):195-199.

Moore, P.D., aniel, T.C., Gilmour, J.T., Shereve, B.R., Edward, d.R. and Wood, B.H.,(1998). Decreasing metal runoff from poultry litter with aluminium sulfate. J. Env. Qual., 27: 92-99.

Naanandini, M.N. and Hosmani, S.P. (1998). Ecology of certain inland waters of Mysore district, occurance of Cyanophycean bloom at Hosakere Lake, Pollut. Res., 17 (2): 123-125.

Omitoyin, B. O.; Ajani, E. K.; Adesian, B. T. and Okuagu, C. N.(2006). Toxicity of lindane to *Clarias gariepinus.*(Burchell,1922). W. J. Zoology; 1(1):57-63.

Pandey, J., Pandey, U. and Tyagi, H. R. (2000). Nutrient status and cyanobacterial diversity of a tropical fresh water lake. J. Environ. Biol., 21 (2):133-138.

Patil, D.B. and Tijare, R.V. (2001).Studies on water quality of Godchiroli Lake. Poll.Res. 20: 257-259.

Patil, S.and Patwari, J.M. (2003).Ground water quality from Prarava area, district Ahmednagar (M.S.). Aquatic Biology, 18(2):85-86.

Rapport, D.J., Costanza, R. and McMichael, A.J. (*1998*). Assessing ecosystem health. Trends Ecol. Evol., 13(10): 397-402.Reid, G.K. (1961). Ecology of inland waters and estuaries. Reinhold Pub. Corp, New York: 375.

Sarojini, A. and Victor, B. (1985). Toxicity of mercury on the ovaries of the cardean prawn. Curr. Sci. 54:398-400.

Sultan, S., Fatma, T. (1999).Phytopoxicity of heavy metals on S Pirulina plaenis. Jr. Phycos.38 (1 and 2):87-92.

Tayyab, A., Thahira, S., Khan, B.and Chaudhry, M.N. (2011). Physicochemical properties contamination and sutability of canal water for Irrigation, Lahore Branch Pakistan, and Pak. J. Anal. Environ. Chem., 12(1 and 2):88-94.

Telkhade, P. M.; Zade S. B. and Dahegaonkar N. R. (2012): Water quality status of Tadoba lake, Chandrapur, Maharashtra, India. J. Bionano front. ,9:11-14.

Unger, M. E. and Roesijadi, G. (1996). Increase in metallothioneins mRNA accumulation during cadmium challenge in oyster pre-exposed to cadmium. Aquatic Toxicology (Amsterdam, Netherland, 153): 1046-1051.

Velumurugan, B.; Selvanyagam,M.; Cengiz, E.I. and Unlu, E. (2007). The effect of monochrotophos to different tissue of freshwater fish, *Cirrhinus mrigala,* Bull. Env. Contam. Toxicol., 78(6):450-454.

Yadav, S. (2008). Physico-chemical analysis of Yamuna water at Mathura. IJREAS,1(4):51-56